Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

1. (Original) A method of managing memory, comprising:

issuing a data request to remove data;

determining whether the data is being removed from a cache line in a cache memory;

determining whether the data being removed is stack data; and

varying the memory management policies depending on whether the data being removed corresponds to a predetermined word in the cache line.

- 2. (Original) The method of claim 1, wherein the predetermined word is the first word in the cache line.
- 3. (Original) The method of claim 2, wherein the cache line is invalidated.
- 4. (Original) The method of claim 2, wherein the cache line holding the stack data is queued for replacement by a replacement policy when a read hit occurs on the first word of the cache line.
- 5. (Original) The method of claim 4, wherein the replacement policy is a least recently used (LRU) policy.
- 6. (Original) The method of claim 1, wherein the predetermined word is the last word in the cache line.
- 7. (Original) The method of claim 1, wherein the cache line is a dirty cache line.

- 8. (Original) The method of claim 7, further comprising, invalidating the dirty cache line if the predetermined word in the dirty cache line is the first word.
- 9. (Original) A system, comprising:
 - a memory;
 - a controller coupled to the memory;
 - a stack that exists in the memory;
 - wherein the memory further comprises a cache memory and a main memory; and

wherein the controller adjusts its management policies depending on whether data that is being removed corresponds to a predetermined word in a cache line.

- 10. (Original) The system of claim 9, wherein the predetermined word is the first word in the cache line.
- 11. (Original) The system of claim 10, wherein the cache line is invalidated.
- 12. (Original) The system of claim 11, wherein the invalidated cache line is queued for replacement by a replacement policy.
- 13. (Original) The system of claim 12, wherein the replacement policy is LRU.
- 14. (Original) The system of claim 9, wherein the predetermined word is the last word in the cache line.
- 15. (Original) The system of claim 9, wherein the cache line is a dirty cache line.
- 16. (Original) The system of claim 15, wherein the dirty cache line is invalidated if the predetermined word in the dirty cache line is the first word.

17. (New) A system, comprising:

- a processor that executes stack-based instructions;
- a cache controller coupled to the processor;
- a cache memory coupled to and controlled by said cache controller, said cache memory storing at least a portion of a stack, said stack having a top and a read access of the stack causes the top of the stack to be read;
- wherein the controller invalidates an entire line of said cache memory upon the processor reading a value from the top of the stack if said value from the top of the stack comprises a word at a predetermined location with said line.
- 18. (New) The system of claim 17 wherein said predetermined location is selected from a group consisting of the first word and the last word of the line.